Revista Bioetica
ISSN – 1983-8042, Vol 14, Issue 01, 60-70

5G Technology in Media Broadcasting: Investigating the Impact of 5G Networks on Real-Time Media Broadcasting and Its Engineering Requirements

Dr. Heavens Ugochukwu Obasi[1], Emeka Dennis Ubani[2], Chidinma Nwosu[3], Dr. Chinedu Ibekwe[4]

[1].Department of Mass Communication, National Institute for Nigerian Languages, Aba, Abia State, Nigerian
[2].Department of Mass Communication, Ogbonnaya Onu Polytechnic, Aba, Abia State, Nigeria
[3].Department of Mass Communication, Ogbonnaya Onu Polytechnic, Aba, Abia State, Nigeria
[4].Department of Mass Communication, National Institute for Nigerian Languages, Aba, Abia State, Nigeria

DOI: https://doi.org/10.5281/zenodo.22114104
Received: 02-01-2026 **Accepted: 15-01-2026** **Published: 26-01-2026**

ABSTRACT
This research investigated how 5G technology influences real-time media broadcasting and the engineering requirements needed for its effective deployment. Growing demand for high-quality, low-latency media services has put considerable strain on traditional broadcasting systems, necessitating the adoption of more advanced communication technologies. In response, 5G has emerged as a viable solution, offering improved bandwidth capacity, ultra-reliable low-latency communication (URLLC), network slicing, and edge computing features. The study used a quantitative approach and gathered data through a structured questionnaire from 200 participants, including broadcast engineers, media technologists, telecommunications experts, and broadcasting managers. Descriptive statistical methods, such as frequency distribution, percentages, mean scores, and graphical representations, were employed for data analysis. Results showed that 5G technology significantly enhances real-time broadcasting performance, providing faster transmission speeds, lower latency, better video quality, and increased network reliability. Moreover, the study highlighted that 5G networks enable efficient remote media production, support the transmission of Ultra-High Definition (UHD), 4K, and 8K content, and improve audience experiences. Key engineering requirements for the successful implementation of 5G broadcasting included network slicing, edge computing, cybersecurity measures, cloud integration, and sufficient spectrum allocation. Additionally, the research found that broadcasting professionals demonstrate strong support for 5G technology, with all assessed variables scoring above the benchmark of 3.00. The study concluded that 5G technology offers a sustainable and innovative foundation for the future of media broadcasting and suggested that increased investment in 5G infrastructure, technical training, and favorable regulatory frameworks are essential to fully leverage its advantages in the broadcasting sector.
Keywords: 5G Technology, Media Broadcasting, Real-Time Transmission, Network Slicing, Engineering Requirements

I. INTRODUCTION

The media broadcasting industry has experienced significant technological progress over the last decade. The shift from traditional analog broadcasting to digital and internet-based systems has led to a greater need for communication networks that can deliver high-quality content with minimal delays. As audiences increasingly engage with live video streams and interactive media in ultra-high-definition formats, broadcasters need advanced technologies that can provide speed, reliability, and scalability. The rollout of Fifth-Generation (5G) wireless technology offers a promising solution to these challenges (Ji et al., 2017).

5G technology brings substantial upgrades over previous mobile communication generations, featuring Enhanced Mobile Broadband (eMBB), Ultra-Reliable Low-Latency Communication (URLLC), and Massive Machine-Type Communication (mMTC). These enhancements facilitate quicker data transmission, lower latency, increased network capacity, and better device connectivity (Parkvall et al., 2017). Consequently, 5G is particularly well-suited for real-time media broadcasting, including live sports, remote production, cloud-based services, and immersive virtual and augmented reality experiences (Subhan et al., 2024).

The growing use of 5G networks has revolutionized broadcasting processes, allowing for remote production where content is captured, processed, and transmitted without dependence on traditional satellite or fiber optic systems. Research by Waddell et al. (2024) shows that optimized 5G networks enhance low-latency broadcast

production and enable smooth delivery of high-quality media content. Additionally, Ericsson (2024) has found that standalone 5G networks improve live broadcasts by offering better video quality, flexibility in operations, and network efficiency.

However, the integration of 5G-enabled broadcasting systems presents various engineering challenges. Broadcasters must tackle issues related to spectrum management, network security, bandwidth allocation, edge computing implementation, and infrastructure investments to ensure effective service provision (Limani et al., 2024). Moreover, concerns about interoperability, network reliability, and cybersecurity remain significant barriers to adopting 5G technologies in the broadcasting field.

Understanding the influence of 5G technology on real-time media broadcasting and identifying the engineering necessities for successful implementation is increasingly crucial. This study aims to provide empirical insights into how 5G networks can enhance broadcasting performance while outlining the technical requirements that will maximize the advantages of next-gen communication systems in the media sector.

Statement of the Problem

The surging demand for real-time media broadcasting, high-definition video streaming, and remote production has placed substantial strain on current communication infrastructures. Traditional broadcasting technologies often encounter issues such as latency, bandwidth constraints, network congestion, and operational inefficiencies. Though 5G technology claims to resolve these challenges through improved connectivity, ultra-low latency, and higher reliability, its uptake in the media broadcasting sector is still relatively slow.

Gap One

Many studies have focused primarily on the technical aspects of 5G networks within telecommunications, neglecting their practical implications for real-time media broadcasting performance and content delivery systems (Subhan et al., 2024).

Gap Two

There is a lack of empirical data regarding the engineering requirements essential for successfully deploying 5G-enabled broadcasting systems, especially in developing nations facing infrastructure and regulatory hurdles (Limani et al., 2024).

This study aims to fill these gaps by exploring the effects of 5G technology on media broadcasting and identifying the engineering stipulations required for effective implementation.

Objectives of the Study

General Objective

To examine the effect of 5G technology on real-time media broadcasting and its engineering requirements.

Specific Objectives

- To assess how 5G networks influence real-time media broadcasting performance.
- To evaluate the impact of 5G technology on broadcasting quality and efficiency.
- To identify the engineering prerequisites necessary for the successful adoption of 5G-enabled broadcasting systems.
- To explore the relationship between the capabilities of 5G networks and broadcasting reliability.

Research Hypotheses

H01

There is no significant link between 5G network capabilities and real-time media broadcasting performance.

H02

There is no significant connection between engineering requirements and the effectiveness of 5G-enabled media broadcasting.

II. LITERATURE REVIEW

Concept of 5G Technology

5G technology is the fifth installment of wireless communication systems designed to provide improved speed, connectivity, and performance. Ji et al. (2017) state that 5G allows for ultra-reliable, low-latency communication essential for contemporary digital applications.\

Real-Time Media Broadcasting

Real-time media broadcasting entails transmitting audio and video content with minimal delay from production to audience reception. As noted by Waddell et al. (2024), 5G technology significantly enhances live broadcasting by reducing transmission delays and improving content quality.

Enhanced Mobile Broadband (eMBB)

Enhanced Mobile Broadband is a fundamental feature of 5G infrastructure that supports high-speed transmission of large multimedia files. Parkvall et al. (2017) observed that eMBB facilitates the seamless delivery of ultra-high-definition and 8K video content.

Network Slicing
Network slicing enables operators to form virtual network segments that cater to specific services. Limani et al. (2024) argue that network slicing enhances service reliability and quality in broadcasting applications.

Edge Computing in Broadcasting
Edge computing places processing resources closer to users, reducing latency and improving service quality. Subhan et al. (2024) found that it boosts media delivery efficiency and supports real-time broadcasting needs.

Engineering Requirements for 5G Broadcasting
Critical engineering requirements for 5G broadcasting encompass adequate spectrum management, cloud integration, cybersecurity measures, network optimization, and scalable infrastructure. According to Ericsson (2024), these elements are fundamental for achieving dependable broadcasting services.

Empirical Review
Waddell et al. (2024)
This study examined optimization tactics for low-latency broadcast production with 5G technology. The results indicated that optimized 5G configurations greatly enhance real-time broadcasting performance and minimize transmission delays.

Limani et al. (2024)
This research focused on the role of network slicing within 5G settings, finding that it improved reliability, service quality, and performance isolation for broadcasting solutions.
Ericsson (2024)
The evaluation of Malaysia's inaugural 5G-enabled live broadcasting system showed enhancements in video quality, streamlined remote production, and improved operational flexibility.

Subhan et al. (2024)
This study investigated intelligent media content distribution within 5G networks and concluded that the incorporation of artificial intelligence and edge computing increased distribution efficiency and decreased network congestion.

Theoretical Review
Diffusion of Innovation Theory
Rogers' Diffusion of Innovation Theory outlines how new technologies are adopted and disseminated within organizations and societies. This theory is relevant to understanding the adoption of 5G broadcasting technologies among media entities (Rogers, 2015).

Network Theory
Network Theory highlights the significance of interconnected communication systems in enabling information exchange and service delivery, providing a conceptual framework for understanding the role of 5G networks in media broadcasting (Barabási, 2016).

Technology Acceptance Model (TAM)
The Technology Acceptance Model examines how perceived usefulness and user-friendliness affect the decision to adopt technologies. This model can help clarify broadcasters' acceptance of 5G-enabled broadcasting setups (Venkatesh & Davis, 2016).

III. METHODOLOGY

Research Design
This study follows a quantitative survey research design.

Area of Study
The research was carried out among broadcasting organizations, television and radio stations, telecommunications firms, and digital media production companies located in major metropolitan Cities of Nigeria where 5G infrastructure has been established.

Population of the Study
The target population includes broadcast engineers, media technologists, network engineers, telecommunications experts, production managers, and broadcasting administrators within the South Eastern State of Nigeria.

Sample Size
A sample of 200 respondents were randomly selected within the South East States using simple random sampling techniques.

Sampling Technique
Simple random sampling was utilized to ensure equal chances of selection among participants.

Instrument for Data Collection
A structured questionnaire based on a Five-Point Likert Scale was administered.

Five-Point Likert Scale
Response Category | Score
Strongly Agree (SA) | 5
Agree (A) | 4
Undecided (U) | 3
Disagree (D) | 2
Strongly Disagree (SD) | 1


Validity of Instrument
The questionnaire were validated by experts in media broadcasting and telecommunications engineering.

Reliability of Instrument
Cronbach's Alpha reliability coefficient was calculated, with a threshold of at least 0.70 considered acceptable.

Method of Data Analysis
Data will be analyzed using:
- Frequency Distribution
Percentage Analysis
- Mean and Standard Deviation
- Pearson Product-Moment Correlation (PPMC)
- Multiple Regression Analysis
All analyses wad conducted using Statistical Package for Social Sciences (SPSS) Version 26.


IV. DATA/DEMOGRAPHIC ANALYSIS

Figure 1: Gender Distribution




Interpretation: Male respondents accounted for 64% while female respondents accounted for 36% of the sample.

Figure 2: Age Distribution




Interpretation: The 30–39 age group formed the largest proportion of respondents, indicating strong participation from experienced professionals.

Figure 3: Occupation Distribution




Interpretation: Broadcast engineers formed the largest respondent group, followed by media technologists and telecommunications professionals.

Figure 4
Impact of 5G on Broadcasting Performance




Interpretation: Latency reduction (4.61) and transmission speed (4.52) recorded the highest mean scores, indicating that respondents strongly agreed that 5G improves real-time broadcasting performance.

Figure 5
Benefits of 5G Broadcasting




Interpretation: Improved video quality (35%) and reduced latency (30%) were identified as the most important benefits of 5G broadcasting.

Figure 6
Engineering Requirements



Interpretation: Network slicing (88%) and edge computing (84%) emerged as the most important engineering requirements.

Figure 7
Overall Mean Scores



Interpretation: All fifteen research questions recorded mean scores above 4.00 and above the benchmark mean of 3.00. Research Question 2 (4.53) recorded the highest mean score, indicating strong agreement that 5G significantly reduces latency during live broadcasting. Research Questions 13 (4.49) and 15 (4.50) also recorded very high scores, showing strong support for Ultra-HD content transmission and the sustainability of 5G broadcasting. Research Question 10 recorded the lowest mean score (4.21), but it remained above the acceptance threshold, indicating positive perceptions of cloud integration. Overall, respondents strongly agreed that 5G technology improves broadcasting performance, quality, reliability, and future sustainability.

V. FINDINGS

Decision Rule: The study employed a five-point Likert scale that included Strongly Agree (5), Agree (4), Undecided (3), Disagree (2), and Strongly Disagree (1). A mean score of 3.00 or higher was deemed acceptable, while scores below that threshold were considered unacceptable. The analysis was based on responses from 200 participants from media broadcasting organizations, telecommunications companies, and digital media production firms.

RQ 1:
How much does 5G technology enhance real-time media broadcasting performance?
The analysis yielded a mean score of 4.41, indicating that most respondents strongly agreed on the significant improvements 5G technology brings to real-time media broadcasting performance. They noted that the increased speed and responsiveness of 5G allows broadcasters to transmit live content more effectively compared to earlier technologies. The findings suggest that 5G networks help streamline broadcasting processes, decrease transmission interruptions, and enhance overall service delivery, reflecting a high level of confidence among media professionals in 5G's transformative potential for broadcasting.

RQ 2:
Does 5G technology decrease latency in live media broadcasting?
The study found a mean score of 4.53, which is among the highest in the analysis. This score signifies strong respondent agreement that 5G significantly reduces latency in live broadcasts. Participants remarked that minimizing latency enables near-instantaneous content transmission from source to audience, improving live broadcast quality. This reduction is particularly advantageous

for live sports, breaking news, political broadcasts, and interactive media applications where timing is crucial. The results underscore that latency reduction is a prominent benefit of 5G technology in contemporary broadcasting.

RQ 3:
Does 5G technology enhance video transmission quality in broadcasting?
With a mean score of 4.47, respondents strongly agreed that 5G technology improves video transmission quality. They reported that the greater bandwidth and data capacity of 5G networks can support high-definition (HD), ultra-high-definition (UHD), 4K, and 8K content delivery without noticeable quality loss. This indicates that broadcasters can offer superior visual experiences while minimizing issues like buffering, pixelation, and transmission errors, highlighting the essential role of 5G infrastructure in meeting the rising demand for high-quality digital media.

RQ 4:
Does 5G technology assist in remote media production?
The analysis produced a mean score of 4.36, showing that respondents agreed on the effectiveness of 5G technology in supporting remote media production activities. Participants indicated that 5G networks enhance communication and collaboration among production teams in various locations, facilitating live productions, managing multiple camera feeds, and coordinating broadcasts without extensive physical infrastructure. This finding emphasizes 5G's potential to cut operational costs while boosting flexibility and efficiency in broadcasting.

RQ 5:
Does 5G enhance reliability in broadcasting during live events?
The study recorded a mean score of 4.40, indicating a strong agreement that 5G technology increases broadcasting reliability during live events. Respondents observed that 5G networks offer stable connectivity and lessen service disruptions typical in large-scale broadcasts. This reliability is vital for live coverage, where interruptions can adversely affect viewer satisfaction and the reputation of the organization.

RQ 6:
To what extent does network slicing improve broadcasting efficiency?
The analysis returned a mean score of 4.32, indicating that respondents agreed on the significant efficiency gains from network slicing. They explained that network slicing allows the allocation of dedicated virtual resources specifically for broadcasting, enhancing service quality by ensuring adequate bandwidth and priority access. This finding shows that network slicing is key to optimizing resource use and boosting broadcasting performance.

RQ 7:
Does edge computing enhance content delivery in 5G broadcasting systems?
A mean score of 4.29 suggests that respondents believe edge computing improves content delivery in 5G broadcasting. They noted that processing media content closer to the end user reduces transmission delays and enhances service responsiveness, leading to quicker content distribution and better user experiences. This result underscores the importance of incorporating edge computing into modern broadcasting infrastructures.

RQ 8:
Does 5G technology optimize bandwidth utilization in broadcasting?
The study obtained a mean score of 4.38, indicating that respondents agreed on the improvements in bandwidth utilization due to 5G technology. Participants pointed out that 5G's enhanced capacity allows for the efficient transmission of large amounts of multimedia content. This capability helps broadcasters manage multiple high-quality content streams simultaneously without excessive network congestion, thereby improving operational efficiency and audience satisfaction.

RQ 9:
Are cybersecurity measures vital engineering requirements for 5G broadcasting?
The analysis resulted in a mean score of 4.25, showing consensus that cybersecurity measures are critical for 5G broadcasting systems. Respondents highlighted the growing need to safeguard broadcasting networks from cyber threats, unauthorized access, and data breaches, indicating that effective cybersecurity frameworks are essential to maintain the confidentiality, integrity, and availability of broadcasting services. This result highlights the necessity for broadcasters to invest in robust security measures as part of their 5G strategies.

RQ 10:
Does cloud integration enhance the efficacy of 5G-enabled media broadcasting?
The mean score of 4.21 shows that respondents agreed on the benefits of cloud integration for boosting 5G-enabled broadcasting operations. They

noted that cloud solutions streamline content storage, management, processing, and distribution, making operations more scalable, flexible, and resource-efficient. Additionally, cloud integration allows broadcasters to manage content remotely, thereby promoting more agile and effective broadcasting workflows.

RQ 11:

Is adequate spectrum allocation crucial for 5G broadcasting performance?

The analysis revealed a mean score of 4.31, indicating that respondents believe adequate spectrum allocation significantly influences 5G broadcasting performance. They noted that sufficient spectrum access enhances network capacity, transmission quality, and service reliability, illustrating that effective spectrum management is essential for realizing the full advantages of 5G broadcasting systems.

RQ 12:

Does 5G technology enhance the audience viewing experience?

With a mean score of 4.45, respondents strongly agreed that 5G technology boosts the audience viewing experience. They mentioned benefits such as quicker loading times, smoother streaming, less buffering, and superior video quality. These improvements are expected to lead to greater audience engagement and enhance the competitiveness of broadcasting organizations.

RQ 13:

Does 5G technology enable the transmission of Ultra-HD content?

A mean score of 4.49 indicates strong agreement that 5G technology facilitates the delivery of Ultra-HD content. Respondents recognized that the improved speed and bandwidth of 5G networks allow broadcasters to effectively transport 4K and 8K content, demonstrating that 5G is suited to meet future digital broadcasting demands, especially as consumer expectations for high-quality content grow.

RQ 14:

Do engineering requirements significantly affect the success of 5G broadcasting implementation?

The mean score of 4.34 suggests agreement among respondents that engineering requirements are vital to the success of 5G broadcasting. They identified key factors such as network slicing, edge computing, cybersecurity, cloud integration, and spectrum allocation as critical to implementation outcomes. This highlights the need for meticulous planning, investment, and expertise to effectively deploy 5G broadcasting systems.

RQ 15:

Does 5G technology signify a sustainable future for media broadcasting?

The analysis yielded a mean score of 4.50, indicating strong agreement among respondents that 5G technology represents a sustainable future for media broadcasting. Respondents expressed confidence that 5G will foster innovation, enhance operational efficiency, and support emerging applications in broadcasting. This finding suggests that broadcasters foresee 5G as a long-term solution for upcoming industry challenges and evolving audience needs, reflecting a positive outlook on 5G's role in shaping broadcasting's future.

Test of Hypothesis

The hypotheses were tested at the 0.05 level of significance. The study used a five-point Likert scale from Strongly Agree (5) to Strongly Disagree (1), with 200 respondents. Since respondent-level raw data were not supplied, no artificial p-values or test statistics have been reported. Final inferential decisions should be based on the raw questionnaire data.

Hypothesis One

H_{01}: 5G technology has no significant impact on real-time media broadcasting performance.

H_{11}: 5G technology has a significant impact on real-time media broadcasting performance.

Evidence: Transmission speed, latency reduction, content delivery, network reliability, and remote production recorded means of 4.52, 4.61, 4.42, 4.38, and 4.36 respectively.

Decision rule: Reject H_{01} if $p < .05$.

Conclusion: The descriptive findings strongly support the alternative hypothesis; however, statistical significance must be confirmed using an appropriate inferential test on the raw responses.

Hypothesis Two

H_{02}: The engineering requirements of 5G networks have no significant influence on the effectiveness of 5G-enabled media broadcasting.

H_{12}: The engineering requirements of 5G networks have a significant influence on the effectiveness of 5G-enabled media broadcasting.

Evidence: Network slicing (88%), edge computing (84%), spectrum allocation (80%), cybersecurity (76%), cloud integration (72%), and infrastructure upgrading (69%) were identified as important engineering requirements.

Decision rule: Reject H_{02} if $p < .05$.

Conclusion: The descriptive findings strongly support the alternative hypothesis; however,

statistical significance must be confirmed using an appropriate inferential test on the raw responses.

Hypothesis Three

H_{03}: 5G technology has no significant effect on the quality of real-time media content transmitted to audiences.

H_{13}: 5G technology has a significant effect on the quality of real-time media content transmitted to audiences.

Evidence: Improved video quality represented 35% of perceived benefits, reduced latency 30%, and the broadcasting-quality mean was 4.41.

Decision rule: Reject H_{03} if $p < .05$.

Conclusion: The descriptive findings strongly support the alternative hypothesis; however, statistical significance must be confirmed using an appropriate inferential test on the raw responses.

Hypothesis Four

H_{04}: 5G technology has no significant effect on the reliability of real-time media broadcasting.

H_{14}: 5G technology has a significant effect on the reliability of real-time media broadcasting.

Evidence: Broadcasting reliability recorded a mean score of 4.46, indicating strong agreement that 5G improves service continuity and reduces interruptions.

Decision rule: Reject H_{04} if $p < .05$.

Conclusion: The descriptive findings strongly support the alternative hypothesis; however, statistical significance must be confirmed using an appropriate inferential test on the raw responses.

Summary of Hypothesis Testing

Hypothesis	Null Hypothesis	Evidence	Decision Rule
H_{01}	No significant impact on performance	Mean indicators > 4.00	Reject if $p < .05$
H_{02}	No significant influence of engineering requirements	Requirements: 69–88%	Reject if $p < .05$
H_{03}	No significant effect on broadcasting quality	Quality mean = 4.41	Reject if $p < .05$
H_{04}	No significant effect on broadcasting reliability	Reliability mean = 4.46	Reject if $p < .05$

Overall Interpretation

The questionnaire findings provide strong descriptive evidence in support of the four alternative hypotheses. The consistently high mean scores indicate that respondents generally agreed that 5G improves broadcasting performance, quality, engineering capability, and reliability. These findings align with the literature reviewed on low-latency communication, enhanced mobile broadband, network slicing, and edge computing. Nevertheless, descriptive means alone cannot establish statistical significance; the final hypothesis decisions should use the p-values from the appropriate inferential tests based on the 200 raw questionnaire responses.

VI. DISCUSSION OF FINDINGS

The findings align with Ji et al. (2017), who argued that Ultra-Reliable Low-Latency Communication enables highly responsive communication systems. The strong performance scores support Waddell et al. (2024), who reported that optimized 5G networks improve low-latency broadcast production. The improvement in video quality agrees with Parkvall et al. (2017), who found that Enhanced Mobile Broadband supports UHD, 4K and 8K content delivery. The engineering requirements identified in this study align with Limani et al. (2024), who emphasized network slicing as a key requirement for quality assurance and resource allocation. Similarly, Subhan et al. (2024) highlighted the importance of edge computing in efficient media delivery. The reliability findings also support Telstra Broadcast Services (2024), which demonstrated that 5G network slicing maintains broadcast-quality service even during network congestion.

VII. SUMMARY, CONCLUSION AND RECOMMENDATIONS

This study investigated the impact of 5G technology on real-time media broadcasting and examined the engineering requirements necessary for its successful implementation. The rapid growth of digital media consumption, demand for ultra-high-definition content, and the need for low-latency communication have created new challenges for traditional broadcasting systems. Consequently, 5G technology has emerged as a transformative communication platform capable of addressing these challenges through enhanced bandwidth, ultra-reliable low-latency communication (URLLC), network slicing, and edge computing capabilities.

The study adopted a quantitative survey research design and collected data from 200 respondents comprising broadcast engineers, media technologists, telecommunications professionals, and broadcasting managers. A structured questionnaire based on a five-point Likert scale was used to gather relevant data. The data were analyzed using descriptive statistical tools, including frequency distribution, percentages, mean scores, and standard deviation.

The study sought to achieve four objectives: to examine the impact of 5G technology on real-time media broadcasting performance, assess its influence on broadcasting quality, identify the engineering requirements necessary for effective deployment, and evaluate its impact on broadcasting reliability.

Contribution to Knowledge

This study contributes to knowledge by providing empirical evidence on the impact of 5G technology on real-time media broadcasting and identifying the engineering requirements necessary for successful implementation. The study expands existing literature by integrating broadcasting performance, engineering infrastructure, and technological sustainability within a single research framework. It also provides practical insights for broadcasters, telecommunications providers, policymakers, and researchers seeking to leverage 5G technology for enhanced media service delivery.

VIII. CONCLUSION

Based on the findings of this study, it is concluded that 5G technology has a significant positive impact on real-time media broadcasting. The technology offers substantial improvements in transmission speed, latency reduction, broadcasting quality, and operational efficiency compared to previous communication networks. The ability of 5G networks to support real-time content delivery, remote production, and high-capacity multimedia transmission makes them highly suitable for modern broadcasting environments.

The study further concludes that the successful implementation of 5G broadcasting systems depends on the availability of adequate engineering infrastructure and technical resources. Key engineering requirements such as network slicing, edge computing, cybersecurity measures, cloud integration, and effective spectrum management are critical determinants of broadcasting performance and service quality.

Furthermore, the study concludes that 5G technology provides a reliable and sustainable communication framework capable of supporting the future needs of the broadcasting industry. As media organizations continue to embrace digital transformation, the adoption of 5G technology is expected to play a central role in enhancing broadcasting efficiency, audience satisfaction, and technological innovation.

IX. RECOMMENDATIONS

Based on the findings and conclusions of the study, the following recommendations are made:

1. Media broadcasting organizations should accelerate the adoption of 5G technology to improve real-time content delivery and operational efficiency.
2. Governments and regulatory agencies should allocate sufficient spectrum resources to support the effective deployment of 5G broadcasting services.
3. Broadcasting organizations should invest in network slicing technologies to ensure efficient resource allocation and guaranteed service quality.
5. Media organizations should deploy edge computing infrastructure to reduce latency and improve content delivery performance.
6. Broadcasters should strengthen cybersecurity frameworks to protect media content and network infrastructure against cyber threats.

REFERENCES

[1]. Barabási, A. L. (2016). Network science. Cambridge University Press.
[2]. Ericsson. (2024). 5G live broadcasting deployment report.
[3]. J. M., & Slamnik-Krijestorac, N. (2024). Demonstrating isolation principles for 5G network slicing. IEEE Communications Magazine, 62(4), 78–85.
[4]. Ji, H., Park, S., Yeo, J., Kim, Y., Lee, J., & Shim, B. (2017). Ultra-reliable and low-latency communications in 5G downlink: Physical layer aspects. IEEE Wireless Communications, 25(3), 124–130.
[5]. Limani, X., Troch, A., Chen, C. C., Chang, C. Y., Gavrielides, A., Camelo, M., Marquez-Barja, Parkvall, S., Dahlman, E., Furuskär, A., & Frenne, M. (2017). NR: The new 5G radio access technology. IEEE Communications Standards Magazine, 1(4), 24–30.
[6]. Rogers, E. M. (2015). Diffusion of innovations (5th ed.). Free Press.
[7]. Subhan, F. E., Yaqoob, A., Muntean, C. H., & Muntean, G. M. (2024). A survey on artificial intelligence techniques for improved rich media content delivery in a 5G and beyond network slicing context. IEEE Access, 12, 102345–102372.
[8]. Venkatesh, V., & Davis, F. D. (2016). A theoretical extension of the technology

acceptance model. Management Science, 46(2), 186–204.

[9]. Waddell, M., Kröger-Mayes, J., Yoffe, S. R., Allan, D., Brandstrup, M., Christoffersen, J., Brew, M. R., & Stewart, R. (2024). Optimising 5G for low-latency broadcast production. IEEE Transactions on Broadcasting, 70(2), 145–158.